Author Index

Abdullah, S.	An experimental investigation of the filling of a thin section casting and simulation by the finite element method	279–297
Ajmal, A.	The application of a knowledge-based clustering algorithm as an aid to probe selection and inspection process planning	299–305
Allanson, D. R.	Effective thermal properties of grinding wheels and grains	661–669
Allen, J. P.	The use of thermal imaging, temperature and distortion models for machine tool thermal error reduction	671–679
Ashby, M. F.	Computer-based selection of manufacturing processes: methods, software and case studies	595–610
Backhouse, C. J.	Measuring the performance of product introduction	1–11
Bailey, C.	A computational modelling framework to predict macroscopic phenomena in solder joint formation	141–157
Ball, A. A.	Visual assessment of free-form surfaces in CAD/CAM	207–214
Barrow, G.	Influence of exit angle and tool nose geometry on burr formation in face milling operations	59–72
Bell, F.	An experimental investigation of the filling of a thin section casting and simulation by the finite element method	279–297
Bell, R.	An information systems architecture for small metal-working companies	87–103
Black, S. C. E.	Effective thermal properties of grinding wheels and grains	661–669
Bowen, B. A.	Implementing a model-based generic user interface for computer integrated manufacturing systems	501–516
Brookes, N. J.	Measuring the performance of product introduction	1–11
Burdekin, M.	Development of a laser Doppler system for in-process evaluation of diameters on computer numerical controlled turning machines	183–194
Burdekin, M.	Evaluation of a laser Doppler based non-contact in-process diameter measuring system	307–323
Burdekin, M.	Measurement and diagnostics of machine tool errors during circular contouring motions	343–356
Burdekin, M.	Development of virtual coordinate measuring machines incorporating probe errors	533–548
Chen, S.-L.	Analysis and modelling of reactive three-dimensional high-power CO_2 laser cutting	113–128
Chen, S.-L.	Thermal modelling of cutting front edge dynamic behaviour in high-power reactive CO_2 laser cutting	555–570
Cho, Y.-B.	A robust in-process monitoring of pulsed laser spot welding using a point infrared sensor	241–250
Choudhury, I. A.	Machining nickel base superalloys: Iconel 718	195–206
Coates, P. D.	Application of the Tauchi method for consistent polymer melt production in injection moulding	611–620
Cook, P.	Procedures for effective implementation of simultaneous engineering in small to medium enterprises	251–258
Cripps, R. J.	Visual assessment of free-form surfaces in CAD/CAM	207–214
Cross, M.	A computational modelling framework to predict macroscopic phenomena in solder joint formation	141–157
Cuesta, E.	Design of special tools by CAD/CAM systems	357–371
Denton, A. A.	The role of technical education, training and the engineering profession in the wealth-creating process	337–341
de Pennington, A.	A role interaction approach to support manufacturing enterprise integration	439–452
Dhande, S. G.	Computer aided design of cutters for helicoidal surfaces	373–382
Dickens, P. M.	Rapid prototyping of metal parts by three-dimensional welding	175–182
Dimov, S. S.	An approach to concurrent engineering	13–27
Dimov, S.	Techniques for firm tooling using rapid prototyping	269–277
Domanti, S. A.	Cold rolling of flat metal products: contribution of mathematical modelling	73–86
El-Baradie, M. A.	Machining nickel base superalloys: Iconel 718	195–206
Eriksen, E.	Surface topography of machined fibre reinforced plastics obtained by stylus instruments and optical profilometers	479–488
Esawi, A. M. K.	Computer-based selection of manufacturing processes: methods, software and case studies	595–610
Fang, N.	An auxiliary approach to the experimental study on chip control: a kinematically simulated test	159–166
Ford, D. G.	The use of thermal imaging, temperature and distortion models for machine tool thermal error reduction	671–679
Fuh, K.-H.	The workpiece temperature, fluid cooling effectiveness and burning threshold of grinding energy in creep feed grinding	383–391
Gethin, D. T.	An experimental investigation of the filling of a thin section casting and simulation by the finite element method	279–297
Ghasempoor, A.	On-line wear estimation using neural networks	105–112

© IMechE 1998

Author Index

Abdullah, S.	An experimental investigation of the filling of a thin section casting and simulation by the finite element method	279–297
Ajmal, A.	The application of a knowledge-based clustering algorithm as an aid to probe selection and inspection process planning	299–305
Allanson, D. R.	Effective thermal properties of grinding wheels and grains	661–669
Allen, J. P.	The use of thermal imaging, temperature and distortion models for machine tool thermal error reduction	671–679
Ashby, M. F.	Computer-based selection of manufacturing processes: methods, software and case studies	595–610
Backhouse, C. J.	Measuring the performance of product introduction	1–11
Bailey, C.	A computational modelling framework to predict macroscopic phenomena in solder joint formation	141–157
Ball, A. A.	Visual assessment of free-form surfaces in CAD/CAM	207–214
Barrow, G.	Influence of exit angle and tool nose geometry on burr formation in face milling operations	59–72
Bell, F.	An experimental investigation of the filling of a thin section casting and simulation by the finite element method	279–297
Bell, R.	An information systems architecture for small metal-working companies	87–103
Black, S. C. E.	Effective thermal properties of grinding wheels and grains	661–669
Bowen, B. A.	Implementing a model-based generic user interface for computer integrated manufacturing systems	501–516
Brookes, N. J.	Measuring the performance of product introduction	1–11
Burdekin, M.	Development of a laser Doppler system for in-process evaluation of diameters on computer numerical controlled turning machines	183–194
Burdekin, M.	Evaluation of a laser Doppler based non-contact in-process diameter measuring system	307–323
Burdekin, M.	Measurement and diagnostics of machine tool errors during circular contouring motions	343–356
Burdekin, M.	Development of virtual coordinate measuring machines incorporating probe errors	533–548
Chen, S.-L.	Analysis and modelling of reactive three-dimensional high-power CO_2 laser cutting	113–128
Chen, S.-L.	Thermal modelling of cutting front edge dynamic behaviour in high-power reactive CO_2 laser cutting	555–570
Cho, Y.-B.	A robust in-process monitoring of pulsed laser spot welding using a point infrared sensor	241–250
Choudhury, I. A.	Machining nickel base superalloys: Iconel 718	195–206
Coates, P. D.	Application of the Tauchi method for consistent polymer melt production in injection moulding	611–620
Cook, P.	Procedures for effective implementation of simultaneous engineering in small to medium enterprises	251–258
Cripps, R. J.	Visual assessment of free-form surfaces in CAD/CAM	207–214
Cross, M.	A computational modelling framework to predict macroscopic phenomena in solder joint formation	141–157
Cuesta, E.	Design of special tools by CAD/CAM systems	357–371
Denton, A. A.	The role of technical education, training and the engineering profession in the wealth-creating process	337–341
de Pennington, A.	A role interaction approach to support manufacturing enterprise integration	439–452
Dhande, S. G.	Computer aided design of cutters for helicoidal surfaces	373–382
Dickens, P. M.	Rapid prototyping of metal parts by three-dimensional welding	175–182
Dimov, S. S.	An approach to concurrent engineering	13–27
Dimov, S.	Techniques for firm tooling using rapid prototyping	269–277
Domanti, S. A.	Cold rolling of flat metal products: contribution of mathematical modelling	73–86
El-Baradie, M. A.	Machining nickel base superalloys: Iconel 718	195–206
Eriksen, E.	Surface topography of machined fibre reinforced plastics obtained by stylus instruments and optical profilometers	479–488
Esawi, A. M. K.	Computer-based selection of manufacturing processes: methods, software and case studies	595–610
Fang, N.	An auxiliary approach to the experimental study on chip control: a kinematically simulated test	159–166
Ford, D. G.	The use of thermal imaging, temperature and distortion models for machine tool thermal error reduction	671–679
Fuh, K.-H.	The workpiece temperature, fluid cooling effectiveness and burning threshold of grinding energy in creep feed grinding	383–391
Gethin, D. T.	An experimental investigation of the filling of a thin section casting and simulation by the finite element method	279–297
Ghasempoor, A.	On-line wear estimation using neural networks	105–112

© IMechE 1998

Gweon, D.-G.	A robust in-process monitoring of pulsed laser spot welding using a point infrared sensor	241–250
Hansen, H. N.	Surface topography of machined fibre reinforced plastics obtained by stylus instruments and optical profilometers	479–488
Haskiya, W.	A passive compliant wrist for chamferless peg-in-hole assembly operation from vertical and horizontal directions	473–478
He, Y.-H.	Prediction and computer simulation of dynamic thrust and torque in vibration drilling	489–497
Hindson, G. A.	Procedures for effective implementation of simultaneous engineering in small to medium enterprises	251–258
Hodgson, A.	Implementing a model-based generic user interface for computer integrated manufacturing systems	501–516
Hodgson, A.	Enterprise modelling in support of business process visualization and improvement	621–633
Hon, K. K. B.	Application of the Taguchi method and new hatch styles for quality improvement in stereolithography	461–472
Huang, G. Q.	Re-engineering the product development process with 'design for X'	259–268
Hui, I. K.	The effects of exposure time on tackiness and rheology of solder paste	517–524
Jain, P. K.	Automatic cut planning in an operative process planning system	129–140
Jeswiet, J.	On-line wear estimation using neural networks	105–112
Juster, N.	A role interaction approach to support manufacturing enterprise integration	439–452
Karunakaran, K. P.	Computer aided design of cutters for helicoidal surfaces	373–382
Khan, M. N.	Knowledge-based systems approach to the development of accurate and realistic master production schedules	453–460
Khoshooee, N.	Application of the Tauchi method for consistent polymer melt production in injection moulding	611–620
King, A. M.	Development of a methodology for using function analysis in flexible design strategies	215–230
Knight, J. A. G.	A passive compliant wrist for chamferless peg-in-hole assembly operation from vertical and horizontal directions	473–478
Kochhar, A. K.	Procedures for effective implementation of simultaneous engineering in small to medium enterprises	251–258
Kochhar, A. K.	Knowledge-based systems approach to the development of accurate and realistic master production schedules	453–460
Kovacevic, R.	Acoustic emission sensing as a tool for understanding the mechanisms of abrasive water jet drilling of difficult-to-machine materials	45–58
Kwak, H.-S.	Acoustic emission sensing as a tool for understanding the mechanisms of abrasive water jet drilling of difficult-to-machine materials	45–58
Kwon, H. D.	Measurement and diagnostics of machine tool errors during circular contouring motions	343–356
Lacan, F.	Techniques for firm tooling using rapid prototyping	269–277
Li, Q.	Computer comparison of design knowledge	635–645
Lim, D.-C.	A robust in-process monitoring of pulsed laser spot welding using a point infrared sensor	241–250
Lim, S. H.	A role interaction approach to support manufacturing enterprise integration	439–452
Lin, Y.-L.	Flat pattern generation of thin-walled objects based on a mechanism theory	325–334
Ma, X.	Knowledge-based systems approach to the development of accurate and realistic master production schedules	453–460
McElwain, D. L. S.	Cold rolling of flat metal products: contribution of mathematical modelling	73–86
Mak, K. L.	Re-engineering the product development process with 'design for X'	259–268
Mateos, S.	Design of special tools by CAD/CAM systems	357–371
Maycock, K.	A passive compliant wrist for chamferless peg-in-hole assembly operation from vertical and horizontal directions	473–478
Mehta, N. K.	Automatic cut planning in an operative process planning system	129–140
Mohan, R. S.	Acoustic emission sensing as a tool for understanding the mechanisms of abrasive water jet drilling of difficult-to-machine materials	45–58
Monfarad, R. P.	Implementing a model-based generic user interface for computer integrated manufacturing systems	501–516
Moore, T. N.	On-line wear estimation using neural networks	105–112
Morgan, M. N.	Effective thermal properties of grinding wheels and grains	661–669
Murgatroyd, I. S.	Enterprise modelling in support of business process visualization and improvement	621–633
New, A. K.	Assessment of waste streams in electric-discharge machining for environmental impact analysis	393–401
Newman, S. T.	An information systems architecture for small metal-working companies	87–103
Olvera, O.	Influence of exit angle and tool nose geometry on burr formation in face milling operations	59–72
Onuh, S. O.	Application of the Taguchi method and new hatch styles for quality improvement in stereolithography	461–472
Pahk, H. J.	Development of virtual coordinate measuring machines incorporating probe errors	533–548
Pandey, P. C.	Automatic cut planning in an operative process planning system	129–140
Park, Y. B.	Finite element analysis for precision cold forging of helical gear using recurrent boundary conditions	231–240
Peggs, G. N.	Development of virtual coordinate measuring machines incorporating probe errors	533–548
Pham, D. T.	An approach to concurrent engineering	13–27
Pham, D. T.	Techniques for firm tooling using rapid prototyping	269–277

© IMechE 1998

Postlethwaite, S. R.	The use of thermal imaging, temperature and distortion models for machine tool thermal error reduction	671–679
Qiao, H.	Strategy investigation of precise robotic assembly operations with symmetric regular polyhedral objects	571–589
Radhakrishnan, V.	A close look at the rough terrain of surface finish assessment	411–421
Ralph, B.	The effects of exposure time on tackiness and rheology of solder paste	517–524
Rico, J. C.	Design of special tools by CAD/CAM systems	357–371
Rotarescu, M.-I.	Description of the contact between a deterministic anisotropic tool surface and a workpiece subjected to plastic deformation	403–409
Rowe, W. B.	Effective thermal properties of grinding wheels and grains	661–669
Shin, Y. C.	Intelligent optimization of grinding processes using fuzzy logic	647–660
Sivaloganathan, S.	Development of a methodology for using function analysis in flexible design strategies	215–230
Spencer, J. D.	Rapid prototyping of metal parts by three-dimensional welding	175–182
Stout, K. J.	Engineering surfaces—a philosophy of manufacture (a proposal for good manufacturing practice)	169–174
Suárez, C. M.	Design of special tools by CAD/CAM systems	357–371
Sun, J. S.	Determining the distribution of the heat content of filler metal droplets transferred into gas–metal arc weld pools	525–531
Tan, H. C.	Assessment of waste streams in electric-discharge machining for environmental impact analysis	393–401
Toh, K. T. K.	An information systems architecture for small metal-working companies	87–103
Tso, S. K.	Strategy investigation of precise robotic assembly operations with symmetric regular polyhedral objects	571–589
Vishnupad, P.	Intelligent optimization of grinding processes using fuzzy logic	647–660
Wang, L.-J.	Prediction and computer simulation of dynamic thrust and torque in vibration drilling	489–497
Wang, L.-P.	Prediction and computer simulation of dynamic thrust and torque in vibration drilling	489–497
Wang, S.-B.	The workpiece temperature, fluid cooling effectiveness and burning threshold of grinding energy in creep feed grinding	383–391
Weckenmann, A.	A close look at the rough terrain of surface finish assessment	411–420
West, A. A.	Implementing a model-based generic user interface for computer integrated manufacturing systems	501–516
Weston, R. H.	The importance of holistic model driven manufacturing systems	29–44
Weston, R. H.	Integration infrastructure requirements for agile manufacturing systems	423–437
Weston, R. H.	Enterprise modelling in support of business process visualization and improvement	621–633
Wheeler, D.	A computational modelling framework to predict macroscopic phenomena in solder joint formation	141–157
Wu, C. S.	Determining the distribution of the heat content of filler metal droplets transferred into gas–metal arc weld pools	525–531
Wykes, C. M.	Rapid prototyping of metal parts by three-dimensional welding	175–182
Yandayan, T.	Development of a laser Doppler system for in-process evaluation of diameters on computer numerical controlled turning machines	183–194
Yandayan, T.	Evaluation of a laser Doppler based non-contact in-process diameter measuring system	307–323
Yang, D. C. H.	Flat pattern generation of thin-walled objects based on a mechanism theory	325–334
Yang, D. Y.	Finite element analysis for precision cold forging of helical gear using recurrent boundary conditions	231–240
Yang, Z.-J.	Prediction and computer simulation of dynamic thrust and torque in vibration drilling	489–497
Yeo, S. H.	Assessment of waste streams in electric-discharge machining for environmental impact analysis	393–401
You, Y.	Calculation of drawbead restraining forces with the Bauschinger effect	549–553
Zhang, S. G.	The application of a knowlege-based clustering algorithm as an aid to probe selection and inspection process planning	299–305
Zhang, W. J.	Computer comparison of design knowledge	635–645

© IMechE 1998